

Message

From: Cirian, Mike [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=98D0FD2CBB3F4F25B819C6929E18D08D-CIRIAN, MIKE]
Sent: 4/16/2018 9:15:53 PM
To: Emilsson, Gunnar [EmilssonGR@cdmsmith.com]
Subject: RE: CFAC Response to Comments - Risk Assessment Work Plans

Thanks, Right now everything is blending together.

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Emilsson, Gunnar [mailto:EmilssonGR@cdmsmith.com]
Sent: Monday, April 16, 2018 3:12 PM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Subject: RE: CFAC Response to Comments - Risk Assessment Work Plans

No, the well request is part of the Phase II SAP, which we will talk about Thursday on our call. This just addresses the risk assessment work plans which were submitted earlier. I know that Erin, Brian, and David have been on a few calls with Roux and their risk contractors, and have come to agreement, which is reflected in Roux's modified responses.

From: Cirian, Mike <Cirian.Mike@epa.gov>
Sent: Monday, April 16, 2018 2:44 PM
To: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>
Subject: RE: CFAC Response to Comments - Risk Assessment Work Plans

Gunnar,

Does this include the additional well request from DEQ and our thoughts of some but not all requested?

Mike Cirian, PE
Libby On-site Project Manager
US EPA
108 East 9th Street
Libby, MT 59923
(406) 293-6194 Office

From: Emilsson, Gunnar [mailto:EmilssonGR@cdmsmith.com]
Sent: Monday, April 16, 2018 9:44 AM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Dick Sloan <rsloan@mt.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David <Berry.David@epa.gov>
Subject: FW: CFAC Response to Comments - Risk Assessment Work Plans

Mike:

CDM Smith has reviewed the revised response to comments on the Baseline Human Health Risk Assessment and Ecological Risk Assessment Work Plans. We recommend that you approve these and direct CFAC/Roux prepare the revised work plans for final approval.

Let me know if you have any questions. I am copying Dick, Brian and David on this message.

Gunnar Emilsson, P.G., P.E., BCEE

Project Manager

CDM Smith

50 West 14th St., Suite 200, Helena, MT 59601

T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982

emilssongr@cdmsmith.com

cdmsmith.com

From: Michael Ritorto <mritorto@rouxinc.com>

Sent: Monday, March 19, 2018 12:11 PM

To: Cirian, Mike <Cirian.Mike@epa.gov>

Cc: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Sanchez, Brian <sanchez.brian@epa.gov>; Berry, David <Berry.David@epa.gov>; Dick Sloan <rsloan@mt.gov>; John Stroiazzo <John.Stroiazzo@glencore-ca.com>; Andrew Baris <abaris@rouxinc.com>; Steve Wright - CFAC <swright@cfaluminum.com>; Laura Jensen <ljensen@rouxinc.com>

Subject: CFAC Response to Comments - Risk Assessment Work Plans

Mr. Cirian,

On Behalf of CFAC, Roux Associates is submitting the attached additional response to comments on the Baseline Human Health Risk Assessment and Ecological Risk Assessment Work Plans.

If you agree with these responses, Roux Associates will proceed to revise the Work Plans and resubmit the revisions for your review.

Please let us know if you have any questions or would like to discuss.

Michael Ritorto, P.G. – NY | Principal Hydrogeologist/Office Manager

209 Shafter Street, Islandia, NY 11749

Main: 631-232-2600 | Direct: 631-630-2370

Email: mritorto@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



Please consider the environment before printing this email.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

